

METHOD FOR REMOVAL OF PATTERN
RESIST OVER PATTERENED METAL HAVING
AN UNDERLYING SPACER LAYER

Inventor: Anthony DiCarlo, et al.

Attorney Docket: TI-36187
(032350.B553) Page 1 of 4




FIG. 1

METHOD FOR REMOVAL OF PATTERN
RESIST OVER PATTERENED METAL HAVING
AN UNDERLYING SPACER LAYER

Inventor: Anthony DiCarlo, et al.

Attorney Docket: TI-36187
(032350.B553)

Page 2 of 4




FIG. 2




FIG. 4




FIG. 3

METHOD FOR REMOVAL OF PATTERN
RESIST OVER PATTERENED METAL HAVING
AN UNDERLYING SPACER LAYER

Inventor: Anthony DiCarlo, et al.

Attorney Docket: T1-36187
(032350.B553)

Page 3 of 4




FIG. 5




FIG. 6




FIG. 7

METHOD FOR REMOVAL OF PATTERN
RESIST OVER PATTERENED METAL HAVING
AN UNDERLYING SPACER LAYER

Inventor: Anthony DiCarlo, et al.

Attorney Docket: TI-36187
(032350.B553)

Page 4 of 4




FIG. 8




FIG. 9




FIG. 10




FIG. 11